



# Jiangxi Province County Mining Machinery Factory

## PROFORMA INVOICE

PI No.: JXSCHEDY20250927

Date: Sep.27th,2025

<b>Information:</b> Company Name: Extreme Gold Mine Limited Add: Geita Tanzania Email: extreme.gmine@gmail.com Tel. Tanzania 00255748040027; UK- 00447957312203 Contact Person: Director-Erdintch Moustafa	<b>Seller Information</b> Company Name: Jiangxi Province County Mining Machinery Factory Add: Guzhang Industrial Park, Shicheng County, Ganzhou City, Jiangxi Province, China Email: sales4@jxscmine.com Mobile/whatsapp: +86 18172711203 Contact Person: Ms. Hedy Hu
--	--

No.	Product Name	Model No.	Picture	Detail Descriptions	Power (kw)	Qty (Set)	Unit price (USD/Set)	Total Amount (USD)
-----	--------------	-----------	---------	---------------------	------------	-----------	----------------------	--------------------


### #1 Part: Feeding & Crushing, Capacity 50TPD / 5TPH, work 10-12hours a day

1	Chute Feeder	600*500mm		1. Entrance size: 600*500mm 2. Exit size: 600*500 mm 3. Max feeding size: 300 mm 4. Capacity: 1-10TPH 5. Motor Power: 4 Kw	4	1	\$2,600	<b>\$2,600</b>
2	Jaw Crusher	PE250*400		1. Inlet size: 250*400mm 2. Feed size: 0-210mm 3. Discharging range size: 40-80mm (can be adjusted) 4. Capacity: 5TPH 5. Power: 15 Kw	15	1	\$5,800	<b>\$5,800</b>
3	1# Belt Conveyor	B500*15		1. Belt width: 500 mm 2. Belt length: 15 meters 3. Power: 5.5 Kw Send output from jaw crusher to hammer crusher.	5.5	1	\$3,200	<b>\$3,200</b>
4	Hammer Crusher	PC600*400		1. Process Capacity: 5TPH 2. Maxi feeding size: 0-80mm 3. Output size range: 0-10mm 4. Motor Power: 22Kw	22	1	\$5,200	<b>\$5,200</b>
5	2# Belt Conveyor	B500*15		1. Belt width: 500 mm 2. Belt length: 15 meters 3. Power: 5.5 Kw Send output of hammer crusher to transit hopper.	5.5	1	\$3,200	<b>\$3,200</b>




### #2 Part: Ball Mill Grinding, Capacity 50TPD / 2TPH, work 24hours a day


1	Electromagnetic Vibrating Feeder	GZ1		<p>1. Discharge chute size: 600x200x100mm (L*W*H);</p> <p>2. Max feed size: -50 mm;</p> <p>3. Capacity: 1-5 tph;</p> <p>4. Power: 0.06 kw</p> <p>Installed underneath transit hopper to evenly feed crushed ore.</p>	0.06	1	\$1,000	<b>\$1,000</b>
2	3# Belt Conveyor	B500*10		<p>1. Belt width: 500 mm</p> <p>2. Belt length: 10 meters</p> <p>3. Power: 3 Kw</p> <p>Send crushed ore from transit hopper to ball mill.</p>	3	1	\$2,600	<b>\$2,600</b>
3	Ball Mill	MQZ1230		<p>1. Capacity: 2-3 TPH</p> <p>2. Drum size: 1.2m*3m(Dia*L)</p> <p>3. Max feed size: -20 mm;</p> <p>4. Output size: 0.074-0.4 mm;</p> <p>5. Max balls load: 6 tons</p> <p>6. Motor power: 45 Kw</p> <p>Complete set includes: Drum + motor + reducer + complete set of transmission device + base + feeding device + discharge device + manganese steel liner plates</p>	45	1	\$20,600	<b>\$20,600</b>
4	Steel Balls	/		<p>1. Chrome steel material</p> <p>2. Need 5 tons of steel balls for 1230 ball mill. (Unit is Ton)</p>	0	5	\$1,200	<b>\$6,000</b>
5	Spiral Classifier	FG-10		<p>1. Spiral diameter: 1000 mm;</p> <p>2. Water tank size: 6500*1110mm (L*W)</p> <p>3. Slope: 10.5-14 degree</p> <p>4. Overflow: 85 t/24h</p> <p>5. Power: 5.5 Kw</p> <p>Work with ball mill to form closed grinding circuit.</p>	5.5	1	\$9,700	<b>\$9,700</b>
6	Hydrocyclone	FX-150		<p>1.Capacity:11-22m3/hr</p> <p>2.Separation particle size:0.074mm</p> <p>3.Material:WCB+PU</p> <p>one use ,one standby</p>	0	2	\$1,200	<b>\$2,400</b>

**#3 Part: Thickening + Leaching & Adsorption, Capacity 50TPD / 2TPH, work 24hours a day**

1	Thickener	NZS6		<p>1. Thickener diameter: 6 meters</p> <p>2. Price only include agitation device and motor &amp; beam, not including steel materials for making water tank and support frame. client can make cement water tank or buy steel materials locally.</p>	1.5	1	\$19,385	<b>\$19,385</b>
---	-----------	------	---	---	-----	---	----------	-----------------

2	#1 Linear Vibrating Screen	400*1600mm		Screen size: 400*1600mm Fixed above thickener for remove trash before thickener	0.4	1	\$1,600	<b>\$1,600</b>
3	#2 Linear Vibrating Screen	400*1600mm		Screen size :400*1600mm Fixed above 1st adsorption tank for screen gold-loaded carbon	0.4	1	\$1,600	<b>\$1,600</b>
4	#3 Linear Vibrating Screen	400*1600		Screen size :400*1600mm Fixed above tailing tank for screen carbon and tailing slurry	0.4	1	\$1,600	<b>\$1,600</b>
5	#4 Linear Vibrating Screen	400*1600		Screen size :400*1600mm Fixed under picking tank for screen washed carbon and water	0.4	1	\$1,600	<b>\$1,600</b>
6	Mixing Tank	XB1500		Φ 1500mm dia *1500mm height Fixed under thickener for mixing slurry & chemical after thickener	5.5	1	\$4,500	<b>\$4,500</b>
7	Chemical Mixing Tank	RJ-1000		Diameter 1m * height 1m; One set for mixing flocculant with water; One set for mixing sodium cyanide with water; one for mixing lime with water for ball mill.	2.2	3	\$3,260	<b>\$9,780</b>
8	Double Impeller Leaching Agitation Tank	Φ 3000*3150mm		1. Tank Size: Φ 3000*3150mm (Dia*H) 2. power : 4 Kw/set 3. For Gold Leaching 4. Price included the tank steel material ,customer weld at mine site	8	2	\$9,200	<b>\$18,400</b>
9	Double Impeller Leaching & Adsorption Agitation Tank	Φ 3000*3150mm		1. Tank Size: Φ 3000*3150mm (Dia*H) 2. Power: 4 Kw/set 3. For Carbon Absorption gold 4. Price included the tank steel material, customer weld at mine site	24	6	\$9,200	<b>\$55,200</b>
10	Double Impeller Tailing Agitation Tank	Φ 3000*3000mm		1. Tank Size: Φ 3000*3000mm (Dia*H) 2. Power: 4 Kw/set 3. for mixing the tailings that discharged from all adsorption tanks 4. price included the tank steel material, customer weld at mine site	4	1	\$9,000	<b>\$9,000</b>
11	Roots Blower for 7pcs Adsorption Agitation Tank	ZG80		1. QS: 10m <sup>3</sup> /min 2. Power: 18.5Kw 3. Pressure: >0.06Mpa Its function is to blow air into leaching & adsorption agitation tanks.	18.5	1	\$2,800	<b>\$2,800</b>

12	Cabon Extractor	φ50		1. Fix at each adsorption agitation tank	0	6	\$1,100	<b>\$6,600</b>
13	Cabon Screen	/		1. Fix at each adsorption agitation tank	0	6	\$850	<b>\$5,100</b>
<b>#4 Part: Carbon Regeneration + Desorption &amp; Electrolysis</b>								
1	Pickling Mixing Tank	φ1500		Add muriatic acid inside to melt the white ash that clogs the activated carbon, the PH of the activated carbon after soaking is shown to be neutral and can be reused again.	3	1	\$4,500	\$4,500
2	Desorption Electrolytic Equipment	200KG/Batch		1. Capacity: 200Kg capacity/batch 2. Normal temperature & Normal pressure type 3. <b>Complete set include desorption column, Electrolytic cell, magnetic slurry pump, electric control panel, ect.</b>	30	1	\$18,000	\$18,000
3	Drying Oven for Gold Mud	101-2		1. Electrothermal static blowing type 2. Drying Area: 450x550x550mm 3. Temperature : 10-300 degree <b>For Drying the gold mud</b>	5	1	\$1,500	\$1,500
4	Gold Melting Furnace	25A		1. Melting capacity: 1-4 Kg each time 2. Power: 380V, three phase	5	1	\$2,000	\$2,000
5	#1 Slurry Pump	3/2inch		1. Flow rate: 20-30 m3/h; 2. Head: 13-18 meters; 3. Power: 5.5 kw /set; for sending 200mesh slurry to #1 trash screen above thickener	5.5	1	\$1,700	\$1,700
6	#2 Slurry Pump Variable-frequency Drive	3/2inch		1. Flow rate: 20-30 m3/h; 2. Head: 13-18 meters; 3. Power: 5.5 kw /set; With variable frequency motor for sending slurry to 1st leaching tank from mixing tank under thickener	5.5	1	\$1,800	\$1,800
7	Slurry Pump	3/2inch		1. Flow rate: 20-30 m3/h; 2. Head: 13-18 meters; 3. Power: 5.5 kw /set; for standby	5.5	1	\$1,700	\$1,700

8	Water Pump	3inch		1. 20-50M3/H flow capacity, 2. 3 inch inlet size 3. Power: 5.5 Kw/ set One set for sending recycled water from thickener to clean water pond; One set for sending clean water to equipment	11	2	\$900	\$1,800
<b>Total EX-Factory Cost of Above Machines</b>					<b>242</b>	<b>56</b>		<b>\$232,465</b>

**Conditions and terms:**

1. Terms of payment: 40% deposit prepaid before production by TT, 40% second payment shall be paid when the production is finished half by TT and before inspection in JXSC factory, 20% balance payment shall be paid when all machines are ready before ship by TT.

2. Delivery Terms: EX-factory Price.

3. Customized Voltage: 380V, 50HZ, 3Phase, can customized.

4: Lead Time: 30-35 working days after deposit received and all information confirmed.

5. Installation and commissioning: \$150 is thus charged per day per person for our Chinese engineer who offers the plant's installation and commissioning guide and training staffs. The buyer will offer our Chinese engineer tools, materials and assistance personnel. In addition, the buyer will offer accommodation, food, necessary security during his stay, and the round-trip plane ticket.

6. After the seller has finished producing the equipment, the buyer is notified to pay the balance according to the contract. If the buyer still fails to pay the balance within 3 months, it will be deemed that the buyer has given up the goods and the contract will be automatically terminated. The deposit will not be returned, and the seller will handle the produced goods by itself.

**Bank Details:**

Payment currency:	USD
Beneficiary account number:	36014812400220100845
Swift code:	PCBCCNBJJXX
Beneficiary name:	Jiangxi Province County Mining Machinery Factory
Beneficiary bank:	CHINA CONSTRUCTION BANK,JIANGXI,GANZHOU SUB-BR
Beneficiary bank address:	172, Hongdu Road, Ruijin City, Jiangxi Province, China

**Buyer: Extreme Gold Mine Limited**

**Seller: Jiangxi Province County Mining Machinery Factory**

**(Signature&Stamp)**

**(Signature&Stamp)**